Discrete Mathematics 81 (1990) 335–336
North-Holland

AUTHOR INDEX

Volume 81 (1990)

Aoki, Y., The star-arboricity of the complete regular multipartite graphs (2) 115–122

Blyth, T. and J. Varlet, Principal congruences on some lattice-ordered algebras (*Note*) (3) 323–329

Cechlárová, K. and P. Szabó, On the Monge property of matrices (2) 123–128
Chung, F.R.K., A. Gyárfás, Z. Tuza and W.T. Trotter, The maximum number of edges in $2K_2$-free graphs of bounded degree (2) 129–135
Chung, M.J. and B. Ravikumar, Bounds on the size of test sets for sorting and related networks (1) 1–9
Clapham, C.R.J., Graphs self-complementary in $K_n - e$ (3) 229–235
Clarke, R.J., Covering a set by subsets (2) 147–152
Clark, L.H. and R.C. Entringer, The number of cutvertices in graphs with given minimum degree (2) 137–145

Edelsbrunner, H., A.D. Robison and Xiao-Jun Shen, Covering convex sets with non-overlapping polygons (2) 153–164
Engel, K. and P.L. Erdős, Polytopes determined by complementfree Sperner families (2) 165–169
Entringer, R.C., see Clark, L.H. (2) 137–145
Erdős, P.L., see Engel, K. (2) 165–169

Frieze, A.M., On the independence number of random graphs (2) 171–175

Guha, S. and S. Padmanabhan, A new derivation of the generating function for the major index (*Communication*) (2) 211–215
Guichard, D.R., Two theorems on the addition of residue classes (1) 11–18
Gyárfás, A., see Chung, F.R.K. (2) 129–135

Hartsfield, N. and G. Ringel, Quadrangular embeddings of the complete even k-partite graph (1) 19–23
Hertz, A., Bipolarizable graphs (1) 25–32

Imrich, W. and G. Sabidussi, Focality and graph isomorphism (3) 237–245

Kemp, R., On the number of deepest nodes in ordered trees (3) 247–258
Kolitsch, L.W., A simple proof of some congruences for colored generalized Frobenius partitions (3) 259–261
Koolen, J.H., see van den Akker, J.M. (1) 103–109
Kramer, E.S., An $S_3(3, 5, 21)$ using graphs (*Note*) (2) 223–224
Kříž, I. and R. Thomas, Clique-sums, tree-decompositions and compactness (2) 177–185

Lachaud, G., The parameters of projective Reed-Müller codes (*Communication*) (2) 217–221

Maruta, T., On Singleton arrays and Cauchy matrices (1) 33–36

Pachner, U., Shellings of simplicial balls and p.I. manifolds with boundary (1) 37–47
Padmanabhan, S., see Guha, S. (2) 211–215

Quest, M. and G. Wegner, Characterization of the graphs with boxicity ≤ 2 (2) 187–192

Ravikumar, B., see Chung, M.J. (1) 1–9
Rees, R., The existence of restricted resolvable designs I: (1, 2)-factorizations of K_{2n} (1) 49–80

Rees, R., The existence of restricted resolvable designs II: (1, 2)-factorizations of K_{2n+1} (3) 263–301
Ringel, G., see Hartsfield, N. (1) 19–23
Robison, A.D., see Edelsbrunner, H. (2) 153–164
Roudneff, J.-P., Partitions of points into intersecting tetrahedra (1) 81–86

Sabidussi, G., see Imrich, W. (3) 237–245
Schmutz, E., Partitions whose parts are pairwise relatively prime (1) 87–89
Shen, Xiao-Jun, see Edelsbrunner, H. (2) 153–164
Solé, P., Completely regular codes and completely transitive codes (2) 193–201
Sulanke, R.A., A determinant for q-counting n-dimensional lattice paths (1) 91–96
Szabó, P., see Cechlárová, K. (2) 123–128

Thomas, R., see Kříž, I. (2) 177–185
Trotter, W.T., see Chung, F.R.K. (2) 129–135
Tuza, Z., see Chung, F.R.K. (2) 129–135

Vaessens, R.J.M., see van den Akker, J.M. (1) 103–109
van den Akker, J.M., J.H. Koolen and R.J.M. Vaessens, Perfect codes with distinct protective radii (*Communication*) (1) 103–109
van Nuffelen, C. and M. van Wouwe, A bound for the Dilworth number (2) 203–210
van Wouwe, M., see van Nuffelen, C. (2) 203–210
Varlet, J., see Blyth, T. (3) 323–329
Venkatesan, S.M., On cleaving a planar graph (1) 97–102

Wagner, D., Decomposition of k-ary relations (3) 303–322
Wegner, G., see Quest, M. (2) 187–192